

ADDID® 230

antistatic additive

Special features

- increases electric conductivity
- solvent-free
- very good compatibility even at high addition levels
- highly suitable for clears

Examples of application

- 2-pack coatings based on epoxies and polyurethanes
recommended addition level
As supplied calculated on total formulation: 1.0 - 8.0 %

Processing instructions

- Addition as supplied is recommended.
- Addition to the grind is recommended in pigmented formulations.
- Incorporate the product in 2-pack formulations based on epoxy preferably into the amine component.
- Incorporate the product in 2-pack formulations based on polyurethane preferably into the polyol component.

Chemical description

formulation of solid salts and quaternary nitrogen compounds

Technical information

- | | |
|-------------------------|-------------------|
| - delivery form | liquid |
| - appearance | yellowish liquid |
| - active matter content | 100 % |
| - viscosity at 25 °C | approx. 210 mPa s |

Registration status

ADDID® 230 respectively its ingredients are listed in the following chemical inventories: EINECS, ELINCS, NDSL, TSCA, TCSI.

All intentional ingredients are listed on the TSCA inventory or comply with the TSCA Polymer Exemption criteria according 40 CFR 723.

Further information on regulatory topics can be found on the Regulatory Data Sheet.

Storage stability

When stored in an original unopened packaging between +4 and +40 °C, the product has a shelf life of at least 24 months from the date of manufacture.

Haziness or precipitation can be eliminated by warming and stirring. This does not affect the performance of the product.

This information and all further technical advice are based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used.
(Status: 09/2018)